



09,982,542

Practitioner's Docket No.: 782\_192

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 6,749,930 B2  
Issued: June 15, 2004  
Name of Patentee(s): Tsuneaki OHASHI  
Title of Invention: CORROSION-RESISTIVE MEMBERS

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
ATTENTION:  
Decision and Certificate of Correction  
Branch of the Patent Issue Division

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on July 16, 2004.

*Shawna K. Harty*  
Shawna K. Harty

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached, in duplicate, is Form PTO--1050, with at least one copy being suitable for printing.
2. Support for the changes can be found in the Amendment filed July 22, 2003.

Certificate

Please send the Certificate to the undersigned representative. JUL 21 2004

Respectfully submitted, of Correction

July 16, 2004

Date

*Stephen P. Burr*  
Stephen P. Burr  
Reg. No. 32,970

SPB/skh

BURR & BROWN  
P.O. Box 7068  
Syracuse, NY 13261-7068

Customer No.: 25191  
Telephone: (315) 233-8300  
Facsimile: (315) 233-8320

JUL 23 2004

BEST AVAILABLE COPY

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,749,930 B2  
DATED : June 15, 2004  
INVENTOR(S) : Tsuneaki OHASHI

It is hereby certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

**Column 4**

Line 65, delete "Group 4a" and add -- Groups 4a-3b -- after "in"

**Column 14**

Line 8, delete the second occurrence of "or" and add -- of -- after "plasma"

MAILING ADDRESS OF SENDER:

PATENT NO.:6,749,930 B2

BURR & BROWN  
P.O. Box 7068  
Syracuse, NY 13261-7068

JUL 23 2004

**BEST AVAILABLE COPY**